

17" Wide Screen Chassis CCFL Monitor, 1920 x 1200, 200 cd/m<sup>2</sup>, 1x VGA



**optional:** resistive touch, capacitive touch, saw touch, infrared touch, protected glass

Winsonic

### Schnittstelle Rückseite

VGA	1
Audio Out	1

### Audio

Lautsprecher	2x 2W
--------------	-------

### Betriebsbedingungen

Breite	413 mm
Höhe	274 mm
Tiefe	55 mm
Gewicht	5 kg
min. Betriebstemperatur	0 °C
max. Betriebstemperatur	50 °C
Eingangsspannung	AC 90 - 260 V
Stromverbrauch	22 W
Zertifikate	FCC, CE
Feuchtigkeit	10 ~ 90% (non-condensing)


## Display

Zoll	17 "
Auflösung Breite	1920
Auflösung Höhe	1200
Lumen	200 cd / m <sup>2</sup>
Hintergrundbeleuchtung	CCFL
MT BF	50000 h <sup>2</sup>
Farben	262000
Kontrast	600 : 1

## Mounting

VESA 75	x
---------	---

## Technische Zeichnungen



## Zubehör

1x DVI

*optional 1x DVI*

Light Sensor

*optional: Light Sensor*

---

Motion Sensor

*optional: Motion Sensor*

---

Networking Digital Signage 480p

*optional: Networking Digital Signage 480p*

---

Networking Digital Signage 720p/1080p

*optional: Networking Digital Signage 720p/1080p*

---

Projizierter Kapazitiver Touch / Projected Capacitive Touch (Zytonic) MOQ 10

*optional: Projizierter Kapazitiver Touch / Projected Capacitive Touch (Zytonic) MOQ 10*

---

Resistiver Touch / Resestive Touch

*optional: Resistiver Touch / Resestive Touch*

---

RS-232 Remote Control F2482

*optional: RS-232 Remote Control, only for F2482*

---

RS-232 Remote Control SE98X

*optional: RS-232 Remote Control, only for SE98X*

---

SAW Touch

*optional: SAW Touch*

---

SAW Touch 6mm Anti-Vandalismus / Anti-Vandalism

*optional: SAW Touch 6mm Anti-Vandalismus / Anti-Vandalism*

---

SV + AV

*optional: SV + AV*

---

Kapazitiver Touch / Capacitive Touch 6mm (Anti-Vandalismus / Anti-Vandalism)

*optional: Kapazitiver Touch / Capacitive Touch 6mm (Anti-Vandalismus / Anti-Vandalism)*

---

Kapazitiver Touch / Capacitive Touch (3M)

*optional: Kapazitiver Touch / Capacitive Touch (3M)*

---

1x DVI + 1x HDMI

*optional: 1x DVI + 1x HDMI*

---

1x DVI + AV + Looping

*optional: 1x DVI + AV + Looping*

---

24V DC-IN

*optional: 24V DC-IN*

---

---

Anti Reflektion Glas / Anti-Reflection Glas 3mm

*optional: Anti Reflektion Glass 3mm*

---

Anti Reflektion Glas / Anti-Reflection Glas 6mm (Anti-Vandalismus / Anti-Vandalism)

*optional: Anti Reflektion Glass 6mm (Anti-Vandalismus)*

---

AV + Looping

*optional: AV + Looping*

---

Color Graphics Adapter

*optional: Color Graphics Adapter*

---

Externe / External OSD - Box

*optional: Externe OSD - Box*

---

HD-SDI (High Definition Serial Digital Interface) Receiver

*optional: HD-SDI (High Definition Serial Digital Interface) Receiver*

---

HD-SDI (High Definition Serial Digital Interface) Receiver + Looping

*optional: HD-SDI (High Definition Serial Digital Interface) Receiver + Looping*

---

Kapazitiver Touch / Capacitive Touch

*optional: Kapazitiver Touch / Capacitive Touch*

---

1x DVI + SV + AV

*optional: SV+ AV + 1x DVI*

---