



15.4" Wide Screen Open Frame LED Monitor,
1280 x 800, 200 cd/m², 1x VGA

optional: resistive touch, capacitive touch, saw touch, infrared touch, protected glass

Winsonic

Schnittstelle Rückseite

VGA 1

Audio Out 1

Audio

Lautsprecher 2x 2W

Betriebsbedingungen

Breite 380 mm

Höhe 278 mm

Tiefe 58 mm

Gewicht 6 kg

min. Betriebstemperatur 0 °C

max. Betriebstemperatur 50 °C

Eingangsspannung AC 90 - 260 V

Stromverbrauch 28 W

Zertifikate FCC, CE

Feuchtigkeit 10 ~ 90% (non-condensing)

Display

Zoll 15.4 "

Auflösung Breite 1280

Auflösung Höhe 800

Lumen 200 cd / m²

Hintergrundbeleuchtung LED

MTBF 35000 h²

Farben 262000


Kontrast 400 : 1

Mounting

VESA 75

x

Technische Zeichnungen



Zubehör

1x DVI

optional 1x DVI

LED - Backlight - 1000cd/m²

optional: LED - Backlight - 1000cd/m²

LED - Backlight - 700cd/m²

optional: LED - Backlight - 700cd/m²

Light Sensor

optional: Light Sensor

Motion Sensor

optional: Motion Sensor

Networking Digital Signage 480p

optional: Networking Digital Signage 480p

Networking Digital Signage 720p/1080p

optional: Networking Digital Signage 720p/1080p

Resistiver Touch / Resistive Touch

optional: Resistiver Touch / Resistive Touch

RS-232 Remote Control F2482

optional: RS-232 Remote Control, only for F2482

RS-232 Remote Control SE98X

optional: RS-232 Remote Control, only for SE98X

SV + AV

optional: SV + AV

Kapazitiver Touch / Capacitive Touch

optional: Kapazitiver Touch / Capacitive Touch

HD-SDI (High Definition Serial Digital Interface) Receiver + Looping

optional: HD-SDI (High Definition Serial Digital Interface) Receiver + Looping

HD-SDI (High Definition Serial Digital Interface) Receiver

optional: HD-SDI (High Definition Serial Digital Interface) Receiver

1x DVI + 1x HDMI

optional: 1x DVI + 1x HDMI

1x DVI + AV + Looping

optional: 1x DVI + AV + Looping

24V DC-IN

optional: 24V DC-IN

Anti Reflektion Glas / Anti-Reflection Glas 3mm

optional: Anti Reflektion Glass 3mm

Anti Reflektion Glas / Anti-Reflection Glas 6mm (Anti-Vandalismus / Anti-Vandalism)

optional: Anti Reflektion Glass 6mm (Anti-Vandalismus)

Auflösung / Resolution: max. 720p

optional: Auflösung/Resolution: max. 720p

AV + Looping

optional: AV + Looping

Color Graphics Adapter

optional: Color Graphics Adapter

Externe / External OSD - Box

optional: Externe OSD - Box

1x DVI + SV + AV

optional: SV+ AV+ 1x DVI
