

PM2005



20.1" Panel Mount LED Monitor, 1600 x 1200,
400 cd/m², 1x VGA

optional: resistive touch, capacitive touch, saw
touch, infrared touch, protected glass

Winsonic

Schnittstelle Rückseite

VGA	1
Audio Out	1

Audio

Lautsprecher	2x 2W
--------------	-------


Betriebsbedingungen

Breite	540 mm
Höhe	440 mm
Tiefe	76 mm
Gewicht	10 kg
min. Betriebstemperatur	0 °C
max. Betriebstemperatur	50 °C
Eingangsspannung	AC 90 - 260 V
Stromverbrauch	40 W
Zertifikate	FCC, CE
Feuchtigkeit	10 ~ 90% (non-condensing)

Display

Zoll	20 "
Auflösung Breite	1600
Auflösung Höhe	1200
Lumen	400 cd / m ²
Hintergrundbeleuchtung	LED
MTBF	35000 h ²
Farben	16700000
Kontrast	800 : 1

Technische Zeichnungen



Zubehör

Panel Mount Clamp Mount Aluminium 6mm, OSD rear

Panel Mount Clamp Mount Aluminium 6mm, OSD rear

Panel Mount Screw Mount Aluminium 6mm, OSD rear

Panel Mount Screw Mount Aluminium 6mm, OSD rear

1x DVI

optional 1x DVI

SAW Touch

optional: SAW Touch

RS-232 Remote Control F2482

optional: RS-232 Remote Control, only for F2482

RS-232 Remote Control SE98X

optional: RS-232 Remote Control, only for SE98X

Resistiver Touch / Resestive Touch

optional: Resistiver Touch / Resestive Touch

OEM Infrarot / Infrared Touch

optional: OEM Infrarot Touch

Networking Digital Signage 480p

optional: Networking Digital Signage 480p

Networking Digital Signage 720p/1080p

optional: Networking Digital Signage 720p/1080p

Light Sensor

optional: Light Sensor

Motion Sensor

optional: Motion Sensor

Kapazitiver Touch / Capacitive Touch (3M)

optional: Kapazitiver Touch / Capacitive Touch (3M)

Kapazitiver Touch / Capacitive Touch

optional: Kapazitiver Touch / Capacitive Touch

Externe / External OSD - Box

optional: Externe OSD - Box

Auflösung / Resolution: max. 720p

optional: Auflösung/Resolution: max. 720p

Anti Reflektion Glas / Anti-Reflection Glas 6mm (Anti-Vandalismus / Anti-Vandalism)

optional: Anti Reflektion Glass 6mm (Anti-Vandalismus)

Anti Reflektion Glas / Anti-Reflection Glas 3mm

optional: Anti Reflektion Glass 3mm

24V DC-IN

optional: 24V DC-IN

1x DVI + 1x HDMI

optional: 1x DVI + 1x HDMI

SAW Touch 6mm Anti-Vandalismus / Anti-Vandalism

optional: SAW Touch 6mm Anti-Vandalismus / Anti-Vandalism
